

BOB ICB and Frimley ICB Priorities Committee Clinical Commissioning Policy Statement

Policy Number/ Name	BOBFPC70 Ectropion and Entropion – Indications for Surgery
Date of BOB ICB Adoption	February 2024

Ectropion is the outward rotation of the eyelid margin (usually lower eyelid). Entropion is the inward rotation of the tarsus (connective tissue at lid margin) and lid margin. Treatment for ectropion and entropion depends on its severity and the underlying cause. Mild cases may not need any treatment. Minor symptoms may be relieved by conservative treatment, such as eye drops, to protect the eye.

Buckinghamshire, Oxfordshire, and Berkshire West ICB and Frimley ICB Priorities Committee has considered the evidence and the national guidance for the treatment of ectropion and entropion and recommends the following:

Referral for surgical opinion for ectropion is indicated for any of the following:

- ocular surface exposure (increased risk of microbial dermatitis)
- chronic epiphora (excessive watering of the eye) or ocular irritation
- recurrent bacterial conjunctivitis

Referral for surgical opinion for entropion is indicated if any of the following is persistent:

- ocular irritation
- recurrent bacterial conjunctivitis
- reflex tear hypersecretion
- superficial keratopathy
- risk of ulceration and microbial keratitis (inflammation of the cornea)

Surgery for ectropion and entropion for cosmetic reasons alone is **not normally funded**.

This policy is in line with the Royal College of Optometrists (2017) Clinical Management Guidelines for ectropion and entropion.

Audit codes:

OPCS: C 131, 133-134, 151, 154, 158, 159, 161, 162 – 164, 168, 169, 178, 179, 228, 238 and 239

NOTES:

- Potentially exceptional circumstances may be considered by a patient's ICB where there is evidence of significant health status impairment (e.g. inability to perform activities of daily living) and there is evidence that the intervention sought would improve the individual's health status.
- This policy was developed and recommended by Thames Valley Priorities Committee which was the predecessor of Buckinghamshire, Oxfordshire, and Berkshire West ICB and Frimley ICB Priorities Committee.
- This policy will be reviewed in the light of new evidence or new national guidance, e.g., from NICE.
- BOBFPC clinical policies can be viewed at [Clinical Commissioning Policy Statements & IFRs | BOB ICB](#)

Recommendation made by TVPC	September 2017 Updated January 2021
Date adopted and issued by OCCG	December 2021 March 2021